

# Leuco

lamininate

QUICK-STEP  
**NatureTEK**  
PERFORMANCE WOOD  
SELECT

**TORLYS**  
smart floors



WILLOW OAK

 Water Proof

 Dent Resistant

 Scratch Resistant

 Plastic Free

 Transition Free

 Easily Repairable

 Gap Resistant

 Antimicrobial

# Leuco



**1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (nominal)**  
**12mm (T) x 190mm (W) x 1380mm (L)**

**19.76 SF per box**

## Details

- Made in the USA.
- 10mm waterproof laminate with 2mm attached pad (total thickness: 12mm).
- Attached pad for improved sound reduction.
- Milled bevel with HydroSeal.
- Easy clean surface that is damp mop approved.
- 4-sided bevel edge with stunning wood visuals and realistic EIR textures.
- AC4 wear rating with a protective wear layer to stand up against everyday scratches, stains and fading.
- CARB 2 compliant.
- Install up to 50'x 50' with no transitions or "speed bumps"!
- TORLYS Bulldog™ Easy Plank Replacer enables single planks to be replaced, quickly and easily. No mess, no dust, no downtime.

## Waterproof Technology



**Waterproof\*** thanks to a combination of the Uniclic® joint and HydroSeal edge coating.



**HydroSeal** water-repellent edge coating keeps water from penetrating the floor's core.

*\*Fully waterproof when installed with a perimeter seal. Visit [torlys.com](http://torlys.com) for details.*

PINNATE OAK | QS-UM4872

SWEET CREAM OAK | QS-UM4883

NATURAL OAK | QS-UM4884

High shade variation  
WILLOW OAK | QS-UM4871

ALBA OAK | QS-UM4870

CHESNUT OAK | QS-UM4885



# A Cleaner Floor Starts Here.

Contribute to a cleaner home with built-in antimicrobial protection.

TORLYS Maxx Commercial Finish with built-in antimicrobial protection will keep your floors **99% cleaner** between cleanings, **24/7**.

For more information, visit [torlys.com/CleanerFloors](https://torlys.com/CleanerFloors)



SWEET CREAM OAK

## Finishing Touches

### **TORLYS Multi-Purpose Moulding**

Easy and convenient, the TORLYS multi-purpose moulding solution offers an adaptable and colour co-ordinated profile. Suitable for floating applications.\*

### **TORLYS smartSTEP Moulding**

A unique stair nosing solution to add the perfect finishing touch. TORLYS smartSTEP is made from a full piece of actual flooring, with the same Uniclic® joint as your floor for an easy and seamless installation. Suitable for both floating and nail/glue down applications.\*

*\*Please reference product specific installation instructions for details.*

## Peace of Mind Assurance

Peace of Mind Assurance with TORLYS Satisfaction Guarantee - Love the style and colour of your floors or change them - no questions asked. Visit [torlys.com](https://torlys.com) for details

## Warranty

**Lifetime Residential Limited Warranty\***

**15-Year Commercial Limited Warranty\***

*\*Visit [torlys.com/warranty](https://torlys.com/warranty) for details.*

# Floors so nice you'll use them twice

## Rethink Flooring with TORLYS Re-Use Guarantee\*

Reinstall your Smart Floor in another room under **FULL warranty** and receive a **10% credit** to use towards the purchase of your next one. Simply snap a photo of the floor installed in the first room, then re-installed in the second and send it to TORLYS to claim your reward.


Finished with your Smart Floor? No Problem. Donate it to Habitat for Humanity\*\*, and as a thank you for your donation, we'll still give you the **10% credit!** Your donation can have a lasting effect on another family, your wallet, and the environment.

1.  SNAP A PHOTO
2.  RE-INSTALL
3.  SNAP A PHOTO
4.  SEND TO TORLYS

*\*Residential applications only. \*\*Check your local Habitat ReStore for donation eligibility.*

## Quality Built-In

1. **Maxx Finish**  
Antimicrobial | Anti-Wear.
2. **Decorative Layer**  
Real wood-like patterns featuring natural designs.
3. **TORLYS Smart Core**  
Dent resistant and strong.
4. **TORLYS Uniclic® Joint**  
The most advanced, gap-resistant joint system available today, finished with HydroSeal water repellent edge coating.
5. **Bottom Layer**  
Provides moisture protection to the core and added stability.
6. **Attached 2mm Pad**  
For added sound reduction.



## Sound Ratings

Pair your TORLYS laminate with a TORLYS underlayment for superior installation results. Contact TORLYS for a copy of test reports.

**TORLYS**  
**Acoustik™**