

Sango

lamininate

NatureTEK
PERFORMANCE WOOD PLUS

TORLYS
smart floors



TRIDENT MAPLE

 Water Proof

 Dent Resistant

 Scratch Resistant

 Plastic Free

 Transition Free

 Easily Repairable

 Gap Resistant

 Antimicrobial

Sango



1/2" (T) x 7-1/2" (W) x 54-11/32" (L) (nominal)
12mm (T) x 190mm (W) x 1380mm (L)

19.76 SF per box

Details

- Made in the USA.
- 12mm waterproof laminate.
- Easy clean surface that can be wet and steam mopped.
- 4-sided bevel edge with stunning wood visuals and realistic EIR textures.
- GenuEdge™ bevel enables the surface design and color to “roll over” the edge for the most realistic looks. Finished with HydroSeal.
- AC4 wear rating with a protective wear layer to stand up against everyday scratches, stains and fading.
- CARB 2 compliant.
- Install up to 50'x 50' with no transitions or “speed bumps”!
- TORLYS Bulldog™ Easy Plank Replacer enables single planks to be replaced, quickly and easily. No mess, no dust, no downtime.

Waterproof Technology



Waterproof* thanks to a combination of the Uniclic® joint and HydroSeal edge coating.



HydroSeal water-repellent edge coating keeps water from penetrating the floor's core.

**Fully waterproof when installed with a perimeter seal. Visit torlys.com for details.*

SUGAR MAPLE | QS-UP4878

High Shade Variation
TRIDENT MAPLE | QS-UP4879

High Shade Variation
RENAISSANCE MAPLE | QS-UP4881

ASH MAPLE | QS-UP4882



A Cleaner Floor Starts Here.

Contribute to a cleaner home with built-in antimicrobial protection.

TORLYS Maxx Commercial Finish with built-in antimicrobial protection will keep your floors **99% cleaner** between cleanings, **24/7**.

For more information, visit torlys.com/CleanerFloors



SUGAR MAPLE

Finishing Touches

TORLYS Multi-Purpose Moulding

Easy and convenient, the TORLYS multi-purpose moulding solution offers an adaptable and colour co-ordinated profile. Suitable for floating applications.*

TORLYS smartSTEP Moulding

A unique stair nosing solution to add the perfect finishing touch. TORLYS smartSTEP is made from a full piece of actual flooring, with the same Uniclic® joint as your floor for an easy and seamless installation. Suitable for both floating and nail/glue down applications.*

**Please reference product specific installation instructions for details.*

Peace of Mind Assurance

Peace of Mind Assurance with TORLYS Satisfaction Guarantee - Love the style and colour of your floors or change them - no questions asked. Visit torlys.com for details

Warranty

Lifetime Residential Limited Warranty*

15-Year Commercial Limited Warranty*





**Visit torlys.com/warranty for details.*

Floors so nice you'll use them twice

Rethink Flooring with TORLYS Re-Use Guarantee*

Reinstall your Smart Floor in another room under **FULL warranty** and receive a **10% credit** to use towards the purchase of your next one. Simply snap a photo of the floor installed in the first room, then re-installed in the second and send it to TORLYS to claim your reward.


Finished with your Smart Floor? No Problem. Donate it to Habitat for Humanity**, and as a thank you for your donation, we'll still give you the **10% credit!** Your donation can have a lasting effect on another family, your wallet, and the environment.

1.  SNAP A PHOTO
2.  RE-INSTALL
3.  SNAP A PHOTO
4.  SEND TO TORLYS

**Residential applications only. **Check your local Habitat ReStore for donation eligibility.*

Quality Built-In

1. TORLYS Maxx Commercial Finish
Antimicrobial | Anti-Wear.
2. Decorative Layer
Real wood-like patterns featuring natural designs.
3. TORLYS Smart Core
Dent resistant and strong.
4. TORLYS Uniclic® Joint
The most advanced, gap-resistant joint system available today, finished with HydroSeal water repellent edge coating.
5. Bottom Layer
Provides moisture protection to the core and added stability.



Sound Ratings

Pair your TORLYS laminate with a TORLYS underlayment for superior installation results. Contact TORLYS for a copy of test reports.

TORLYS
Acoustik™